





FOOD INDUSTRY

Within the food industry, there are stringent standards that need to be met and unique environmental conditions that require a specialised floor for food processing, preparation and storage areas. Parchem has the solutions that meet these requirements.



HEAVY DUTY POLYURETHANE RESIN FLOOR SYSTEM

Introducing Parchem Construction Supplies' Latest Flooring Innovation

Durafloor X is a heavy-duty topping and coating system with a textured finish, which provides a hard-wearing, chemically resistant floor that can handle extreme service temperatures. The system also boasts anti-microbial properties, reducing growth of bacteria and mould. Making the system particularly suited to the food manufacturing and preparation areas.

Features & Benefits

- Anti-microbial properties - inhibits growth of bacteria and mould on floor between cleaning cycles
- Broad service temperature range (-25°C to 120°C) Allowing product to be applied in cool rooms/ freezer rooms and areas requiring steam or high temperature cleaning.
- Fast turn-around time – Coating accommodates foot traffic in 24 hours (at 20°C), minimising down-time.
- Non-taint and low odour during application - making floor ideal for food processing applications.
- Textured finish - Durafloor X provides a textured finish to increase slip resistance.
- Highly chemically resistant - good resistance to sugars and most organic and inorganic chemicals.
- Hard-wearing and abrasion resistant - capable of withstanding heavy foot traffic and fork lift traffic.
- Available in a variety of standard colours.



Application Areas

- Food and drink manufacturing and processing plants - Including abattoirs, bakeries, breweries, wineries, meat, fish and chicken production, etc.
- Commercial kitchens and food preparation areas.
- 'Back of house' areas of hotels, restaurants and supermarkets.
- Cool Rooms and freezer rooms
- Chemical processing plants
- Laboratories



EPOXY FLOOR & WALL COATING

Floor / wall coating, high performance epoxy, solvent free, non-tainting

Durafloor HP is a multi-component solvent-free epoxy resin high build coating. The formulation allows the incorporation of anti-slip grits and provides good chemical and abrasion resistance.

Application Areas

Used in the food and chemical industry, hospitals, schools, kitchens, high traffic applications and many other installations.

Features and Benefits

- Long lasting and easily maintained with good resistance to many industrial chemicals
- Slip resistance improves safety for plant and personnel
- Certified 'non-taint' around food stuffs during and after installation
- Provides an attractive satin finish
- Available in a wide range of light reflective colours to provide a brighter work area
- Available in a fast cure version (Durafloor FC)
- Complies with BCA, for building material fire hazard properties specification C1.10a for critical radiant flux and smoke development rate values.

TRADE STORES

“We’ve got
the gear
you need”

New South Wales

Beresfield	02 4964 4277
Coffs Harbour	02 6652 3599
Fyshwick	02 6228 1313
Narellan	02 4647 0623
Padstow	02 9771 6626
Penrith	02 4722 9259
Riverstone	02 9627 9133
Tuggerah	02 4352 2287
Wetherill Park	02 9756 5494

Queensland

Brendale	07 3889 7600
Gladstone	07 4978 0128
Morningside	07 3902 2300
Nerang	07 5527 2227
Springwood	07 3808 8133
Townsville	07 4729 5911

Western Australia

Belmont	08 6279 9799
---------	--------------

Victoria

Brunswick	03 9380 2400
Campbellfield	03 9308 6133
Dandenong	03 8710 7000

South Australia

Hindmarsh	08 8241 6000
-----------	--------------

Tasmania

Moonah	03 6278 7277
--------	--------------

Customer Service 1300 737 787

National Head Office: 7 Lucca Road, Wyong NSW 2259 02 4350 5000

